

# Object Recognition

Lecture 11, April 21<sup>st</sup>, 2008

Lexing Xie


EE4830 Digital Image Processing

<http://www.ee.columbia.edu/~xix/ee4830/>

# Announcements

- HW#5 due today
- HW#6
  - last HW of the semester
  - Due May 5<sup>th</sup>

# Roadmap to Date




# Lecture Outline

Problem: object recognition from images.


- What and why
- Pattern recognition primer
- Object recognition in controlled environments
- State of the art object recognition systems

# What is Object Recognition?



**object**   [Pronunciation Key](#) (ˈɒbjɪkt, -jɛkt)  
*n.*

1. Something perceptible by one or more of the senses, especially by vision or touch; a material thing.
2. A focus of attention, thought, or action: *an object of contempt*.
3. The purpose or goal of a specific action or effort: *the object of the game*.
4. Grammar.
  - a. A noun, pronoun, or noun phrase that receives or is affected by the action of a verb within a sentence.
  - b. A noun or substantive governed by a preposition.
5. Philosophy. Something intelligible or perceptible by the mind.
6. Computer Science. A discrete item that can be selected and maneuvered, such as an onscreen graphic. In object-oriented programming, objects include data and the procedures necessary to operate on that data.



# What is Object Recognition?



Sensory data


Color, texture, shape,  
motion, size, weight,  
smell, touch, sound, ...



Descriptions

"toy", "stuffed Pooh", "a  
frontal, close-up shot of  
stuffed Pooh", "ToysRus  
#345812", ...





One of the fundamental problems of computer vision:



# Why?

- Science
  - How do we recognize objects?
- Practice
  - Robot navigation
  - Medical diagnosis
  - Security
  - Industrial inspection and automation
  - Human-computer interface
  - Information retrieval
  - ...

# Applications of Object Recognition




### Printing and storage

Creating hardcopy representations of images, for example, to use as illustrations in reports, is important to many users of **image processing** equipment. It is also usually important to store the images so that they can be retrieved later, for instance to compare with new ones or to transmit to another worker. Both of these activities are necessary because it is rarely possible to reduce an **image** to a compact verbal description or a series of measurements that will communicate to someone else what we see or believe to be important in the **image**. In fact, it is often difficult to draw someone else's attention to the particular details or general structure that may be present in an **image** that we may feel are the significant characteristics present, based on our examination of that **image** and many more. Faced with the inability to find a resort to passing a representation of the **image** on, perhaps with sketches and arrows and a paragraph on the back of each

### Printing

This book is printed in color, using high-end printing technology. But many everyday jobs can be handled by less expensive machines; the quality, speed, and cost of both monochrome and color printing are improving rapidly. A typical monochrome (black on white) laser printer is now available for under \$100 and has become a common accessory to desktop computers. It is used to print images as well. We have come a very long way since printing Christmas posters using Xs and Os on a teletype to represent **1**. In this chapter, we will examine the technology for printing images on computer-based **image processing** systems.

For this purpose, it does not matter whether or not the printers use a language such as PostScript®, which is used to produce smooth images at a minimum printer resolution, so long as they allow the computer to print




Some images from <http://www.cs.utexas.edu/~grauman/research/research.html>



## Computer vision

**Easy on the eyes**

Apr 4th 2007

From *The Economist* print edition**A computer can now recognise classes of things as accurately as a person can**

NEVER underestimate a computer. Never overestimate one either. For many years Garry Kasparov, a world chess champion, said that a computer would never beat him (or, indeed, any other human in his position). In May 1997 he had to eat his words. Deep Blue, an invention of IBM, did just that.


This was impressive, but it demonstrated processing power rather than intelligence. Computers are generally good at solving specific problems, not specifically good at solving general ones. Deep Blue did not learn to play chess from experience. It was painstakingly programmed with thousands of "tactical weighting errors" devised by human experts. So whenever it selected a move, it used these to work through multitudes of possible options and their possible responses. No one is quite sure how Mr Kasparov's processor operates but it certainly does not do that. One theory goes that the human brain recognises strategic positions in a general way, and that this helps to reduce the problem to a manageable size.

# Lecture Outline

- Object recognition: what and why
- Object recognition in controlled environments
  - Distance-based classifiers
  - generalized linear classifiers
    - Neural networks
    - Bayes classifiers
  - Object recognition in practice
- General object recognition systems
- Summary


# Objects as Vectors ...

**FIGURE 12.1**  
Three types of iris  
flowers described  
by two  
measurements.





$$x = \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} \quad y \in \{1, 2, 3\}$$

# image



# vector representation




$$x_i, i = 1, \dots, 1000 \quad y \in \{0, 1, \dots, 9\}$$

# pattern classifier from examples

- goal: given  $x$ , infer  $y$
- learning from examples: supervised learning
  - given  $(x_i, y_i=f(x_i)), i=1,\dots,N$  for some unknown function  $f$
  - find a “good approximation” to  $f$
- rules versus data
  - encode human knowledge as rules
    - e.g. the petal length and width of iris
  - appropriate scenarios for supervised learning
    - no human expert (predict strength to cure AIDS given new molecule structure)
    - human can perform task but can't describe how they do it (e.g. handwriting recognition, object recognition)
    - the desired function is changing constantly w.r.t. time, or user (stock trading decisions, user-specific spam filtering)

# minimum distance classifier



**FIGURE 12.6**  
 Decision boundary of minimum distance classifier for the classes of *Iris versicolor* and *Iris setosa*. The dark dot and square are the means.

$$(x_i, y_i) \quad i = 1, \dots, N$$

$$x_i \in \mathcal{R}^2, \quad y_i \in \{+1, -1\}$$

step 1: calculate "class prototypes" as the means

$$m_j = \frac{1}{N_j} \sum_i x_i \delta(y_i = j)$$



step 2: use the prototypes to classify a new example

$$\hat{y}_? = \arg \min_j d(x?, m_j), \quad j = 1, 2$$

"discriminant" function  $f$ :

$$f(x) = \text{sign}(2.8x_1 + 1.0x_2 - 8.9)$$

# nearest neighbor classifier



$$(x_i, y_i) \quad i = 1, \dots, N$$


$$x_i \in \mathcal{R}^2, \quad y_i \in \{+1, -1\}$$

## ■ steps:

- store all training examples
- classify a new example  $x_?$  by finding the training example  $(x_i, y_i)$  that's nearest to  $x_?$  according to Euclidean distance, and copying the labels

$$\hat{y}_? = y_j, \quad j = \arg \min_{i=1, \dots, N} \|x_? - x_i\|$$

# nearest neighbor classifier



"discriminant" function  $f$ :  
gray area -1; white area +1


- (implicit) decision boundaries form a subset of the Voronoi diagram of the training data – each line segment is equidistant between two points
- comments
  - prone to noisy, poorly scaled features
  - conditioned on the distance metric
  - "smooth" the decision by looking at  $K$ -neighbors and vote
  - good news:  $k$ NN is "universally consistent"



# linear classifier

- two desirables
  - explicit (linear) decision boundary
  - use many training examples/prototypes but do no need to remember all

$$\hat{y} = f(x) = \text{sign}(w^T x + w_0) = \text{sign}\left(\sum_d w_d x_{id} + w_0\right)$$



# the perceptron algorithm

$$\hat{y} = f(x) = \text{sign}(w^T x + b)$$

- learning a linear classifier

- given training data  $(x_i, y_i)$  and loss function

$$L(f(x), y)$$

- find: weight vector  $[w; b]$  that minimizes expected loss on training data

$$\min J(w) = \frac{1}{N} \sum_{i=1}^N L(f(x_i), y_i)$$

use hinge



$$= \frac{1}{N} \sum_{i=1}^N \max(0, 1 - y_i w^T x_i)$$

- start from initial weights  $w_0$

- compute gradient  $\nabla \tilde{J}(w) = \left[ \frac{\partial \tilde{J}(w_0)}{\partial w_0}, \dots, \frac{\partial \tilde{J}(w_D)}{\partial w_D} \right]$

- update  $w_1 = w_0 - \eta \nabla \tilde{J}(w_0)$        $\eta$  : learning rate

- repeat until convergence



# computing the gradient

given  $J(w) = \frac{1}{N} \sum_{i=1}^N \max(0, 1 - y_i w^T x_i)$  compute gradient  $\nabla \tilde{J}(w)$

let  $\tilde{J}_i(w) = \max(0, 1 - y_i w^T \cdot x_i)$  contribution from each training sample

$$\begin{aligned} \frac{\partial \tilde{J}(w_d)}{\partial w_d} &= \frac{\partial}{\partial w_d} \left( \frac{1}{N} \sum_i \tilde{J}_i(w) \right) \\ &= \frac{1}{N} \sum_i \left( \frac{\partial}{\partial w_d} \tilde{J}_i(w) \right) \end{aligned}$$



$$\begin{aligned} \frac{\partial \tilde{J}_i(w)}{\partial w_d} &= \frac{\partial}{\partial w_d} \max \left( 0, 1 - y_i \sum_{j=1}^D w_j x_{ij} \right) \text{ contribution from each dimension} \\ &= \begin{cases} 0 & \text{if } y_i w^T x > 0 \\ -y_i x_{id} & \text{otherwise} \end{cases} \text{ of each training sample} \end{aligned}$$

- $\eta$  must decrease to zero in order to guarantee convergence.
- some algorithms (Newton's) can automatically select  $\eta$ .
- local minimum is the global minimum for hinge loss

# Support Vector Machines

- Two key ideas:
  - The “best” separating hyperplane has the largest margin.
  - Class boundary can be linear in a higher-dimensional space, e.g.,

$$\Phi \begin{pmatrix} x_1 \\ x_2 \end{pmatrix} = \begin{bmatrix} x_1^2 \\ \sqrt{2}x_1x_2 \\ x_2^2 \end{bmatrix}$$



Input Space

Feature Space

$$f(x) = \text{sign}(w^T \Phi(x)) = \sum_i \alpha_i K(x_i, x)$$


generalized  
linear discriminant

weighted (generalized) inner  
product with “support vectors”

# Neural Networks

$$y_k = F\left[\sum_j w_{jk} \cdot F\left[\sum_j w_{ij} x_i\right]\right]$$


$$F(u) = \frac{1}{1 + e^{-u}}$$



a single hidden layer, feed forward neural network is capable of approximating any continuous, multivariate function to any desired degree of accuracy and that failure to map a function arises from poor choice of network parameters, or an insufficient number of hidden neurons.

[Cybenko 1989]

# Digit Recognition with Neural Net





- LeCun et al, 1992, 1998, ...  
<http://yann.lecun.com/exdb/mnist/>

40 PCA + quadratic classifier	none	3.3	<a href="#">LeCun et al. 1998</a>
1000 RBF + linear classifier	none	3.6	<a href="#">LeCun et al. 1998</a>
K-NN, Tangent Distance	subsampling to 16x16 pixels	1.1	<a href="#">LeCun et al. 1998</a>
SVM, Gaussian Kernel	none	1.4	
SVM deg 4 polynomial	deskewing	1.1	<a href="#">LeCun et al. 1998</a>
Reduced Set SVM deg 5 polynomial	deskewing	1.0	<a href="#">LeCun et al. 1998</a>
Virtual SVM deg-9 poly [distortions]	none	0.8	<a href="#">LeCun et al. 1998</a>
Virtual SVM, deg-9 poly, 1-pixel jittered	none	0.68	DeCoste and Scholkopf, MLJ 2002
Virtual SVM, deg-9 poly, 1-pixel jittered	deskewing	0.68	DeCoste and Scholkopf, MLJ 2002
Virtual SVM, deg-9 poly, 2-pixel jittered	deskewing	0.56	DeCoste and Scholkopf, MLJ 2002
2-layer NN, 300 hidden units, mean square error	none	4.7	<a href="#">LeCun et al. 1998</a>
2-layer NN, 300 HU, MSE, [distortions]	none	3.6	<a href="#">LeCun et al. 1998</a>
2-layer NN, 300 HU	deskewing	1.6	<a href="#">LeCun et al. 1998</a>
2-layer NN, 1000 hidden units	none	4.5	<a href="#">LeCun et al. 1998</a>
2-layer NN, 1000 HU, [distortions]	none	3.8	<a href="#">LeCun et al. 1998</a>
3-layer NN, 300+100 hidden units	none	3.05	<a href="#">LeCun et al. 1998</a>
3-layer NN, 300+100 HU [distortions]	none	2.5	<a href="#">LeCun et al. 1998</a>
3-layer NN, 500+150 hidden units	none	2.95	<a href="#">LeCun et al. 1998</a>
3-layer NN, 500+150 HU [distortions]	none	2.45	<a href="#">LeCun et al. 1998</a>
3-layer NN, 500+300 HU, softmax, cross entropy, weight decay	none	1.53	<a href="#">Hinon, unpublished, 2005</a>
2-layer NN, 800 HU, Cross-Entropy Loss	none	1.6	<a href="#">Simard et al., ICDAR 2003</a>
2-layer NN, 800 HU, cross-entropy [affine distortions]	none		
2-layer NN, 800 HU, MSE [elastic distortions]	none		


2-layer NN, 800 HU, MSE [elastic distortions]	none	0.9	<a href="#">Simard et al., ICDAR 2003</a>
2-layer NN, 800 HU, cross-entropy [elastic distortions]	none	0.7	<a href="#">Simard et al., ICDAR 2003</a>

# probabilistic classifiers


- what about probabilities
  - $p(x|y)$  is usually easy to obtain from training data
  - can we estimate  $p(y|x)$  ?



# Bayes classifier



**FIGURE 2.1.** Hypothetical class-conditional probability density functions show the probability density of measuring a particular feature value  $x$  given the pattern is in category  $\omega_i$ . If  $x$  represents the lightness of a fish, the two curves might describe the difference in lightness of populations of two types of fish. Density functions are normalized, and thus the area under each curve is 1.0. From: Richard O. Duda, Peter E. Hart, and David G. Stork, *Pattern Classification*. Copyright © 2001 by John Wiley & Sons, Inc.




**FIGURE 2.2.** Posterior probabilities for the particular priors  $P(\omega_1) = 2/3$  and  $P(\omega_2) = 1/3$  for the class-conditional probability densities shown in Fig. 2.1. Thus in this case, given that a pattern is measured to have feature value  $x = 14$ , the probability it is in category  $\omega_2$  is roughly 0.08, and that it is in  $\omega_1$  is 0.92. At every  $x$ , the posteriors sum to 1.0. From: Richard O. Duda, Peter E. Hart, and David G. Stork, *Pattern Classification*. Copyright © 2001 by John Wiley & Sons, Inc.

$$\begin{aligned}
 p(y = +1|x) &= p(y = +1) \frac{p(x|y = +1)}{p(x)} \\
 &= p(y = +1) \frac{p(x|y = +1)}{p(y = +1)p(x|y = +1) + p(y = -1)p(x|y = -1)}
 \end{aligned}$$

$$f(x) = \frac{p(y = +1|x)}{p(y = -1|x)} = \frac{p(y = +1)p(x|y = +1)}{p(y = -1)p(x|y = -1)}$$



# Bayes classifier for Gaussian classes




**FIGURE 2.10.** If the covariance matrices for two distributions are equal and proportional to the identity matrix, then the distributions are spherical in  $d$  dimensions, and the boundary is a generalized hyperplane of  $d - 1$  dimensions, perpendicular to the line separating the means. In these one-, two-, and three-dimensional examples, we indicate  $p(\mathbf{x}|\omega_i)$  and the boundaries for the case  $P(\omega_1) = P(\omega_2)$ . In the three-dimensional case, the grid plane separates  $\mathcal{R}_1$  from  $\mathcal{R}_2$ . From: Richard O. Duda, Peter E. Hart, and David G. Stork, *Pattern Classification*. Copyright © 2001 by John Wiley & Sons, Inc.

# estimating the conditionals

## ■ how do we estimate $p(x|y)$

- $X_1, X_2, \dots, X_N$  discrete:  
count over observed samples  
to get the conditional histograms



- $X_1, X_2, \dots, X_N$  continuous and conditionally Gaussian

x scalar

$$p(x|y = j) = \frac{1}{\sqrt{2\pi}\sigma_j} \exp\left\{-\frac{(x - \mu_j)^2}{\sigma_j^2}\right\}$$

$$\mu_j = \frac{1}{N_j} \sum_{\{i|y_i=j\}} x_i$$


$$\sigma_j^2 = \frac{1}{N_j} \sum_{\{i|y_i=j\}} x_i^2 - \mu_j^2$$

$$x = \begin{bmatrix} x_1 \\ x_2 \\ \dots \\ x_d \end{bmatrix}$$

$$p(x|y = j) = \frac{1}{\sqrt{2\pi}|C_j|} \exp\left\{-\frac{(x - \mu_j)C_j^{-1}(x - \mu_j)^T}{2}\right\}$$

$$\mu_j = \frac{1}{N_j} \sum_{\{i|y_i=j\}} x_i$$


$$\begin{aligned} C_j &= \frac{1}{N_j} \sum_{\{i|y_i=j\}} (x_i - \mu_j)(x_i - \mu_j)^T \\ &= \frac{1}{N_j} \sum_{\{i|y_i=j\}} x_i x_i^T - \mu_j \mu_j^T \end{aligned}$$




**FIGURE 2.14.** Arbitrary Gaussian distributions lead to Bayes decision boundaries that are general hyperquadrics. Conversely, given any hyperquadric, one can find two Gaus-

# Bayes classifier example

**FIGURE 12.4**  
Satellite image of  
a heavily built  
downtown area  
(Washington,  
D.C.) and  
surrounding  
residential areas.  
(Courtesy of  
NASA.)





**FIGURE 12.13** Bayes classification of multispectral data. (a)–(d) Images in the visible blue, visible green, visible red, and near infrared wavelengths. (e) Mask showing sample regions of water (1), urban development (2), and vegetation (3). (f) Results of classification; the black dots denote points classified incorrectly. The other (white) points were classified correctly. (g) All image pixels classified as water (in white). (h) All image pixels classified as urban development (in white). (i) All image pixels classified as vegetations (in white).

# classification results


**TABLE 12.1**

Bayes classification of multispectral image data.

Training Patterns						Independent Patterns					
Class	No. of Samples	Classified into Class			% Correct	Class	No. of Samples	Classified into Class			% Correct
		1	2	3				1	2	3	
1	484	482	2	0	99.6	1	483	478	3	2	98.9
2	933	0	885	48	94.9	2	932	0	880	52	94.4
3	483	0	19	464	96.1	3	482	0	16	466	96.7

# homework problem 1: classifying digits

- instruction/code available
  - load digits from the MNIST dataset
  - baseline 1-NN classifier
- experiment/observe/improve
  - k-NN, with k=3, 5
  - SVM / linear classifier
  - compute error rate
  - examples that are correctly/incorrectly classified




$$\text{err rate} = \frac{\# \text{ miss-classified digits}}{\text{total \#of digits}} \times 100\%$$

# Lecture Outline

- object recognition: what and why
- object recognition as pattern classification
- general object recognition systems
  - object recognition: a systems view
  - current commercial systems
  - real-world challenges
  - survey of state-of the art
- demo websites



# Object Recognition End-to-End



# Object Recognition in Practice

- Commercial object recognition
  - Currently a \$4 billion/year industry for inspection and assembly
  - Almost entirely based on template matching
- Upcoming applications
  - Mobile robots, toys, user interfaces
  - Location recognition
  - Digital camera panoramas, 3D scene modeling

courtesy of David Lowe,  
website and CVPR 2003 Tutorial

# Industrial Applications

## The Computer Vision Industry

### [David Lowe](#)

This web page provides links to companies that develop products using computer vision. Computer vision (also often referred to as "machine vision" or "automated imaging") is the automated extraction of information from images. This differs from image processing, in which an image is processed to produce another image. This page covers only products based on computer or machine vision, and it does not cover image processing or any of the many suppliers of sensors or other equipment to the industry.

Companies are categorized under their principal application area, and then listed alphabetically. Companies are listed only if they have web pages giving information about their products. Please let me know of any links that are missing.

### Automobile driver assistance

[Iteris](#) (Anaheim, California). Lane departure warning systems for trucks and cars that monitor position on the road. Used in over 10,000 trucks (2005). Also creates traffic monitoring systems.

[MobilEye](#) (Jerusalem, Israel). Vision systems that warn automobile drivers of danger, provide adaptive cruise control, and give driver assistance.

[Smart Eye](#) (Göteborg, Sweden). Systems to track eye and gaze position of a driver to detect drowsiness or inattention.

### Automobile traffic management

[Appian Technology](#) (Bourne End, Buckinghamshire, UK). Systems for reading automobile license plates.

[AutoVu](#) (Montreal, Canada). Systems for reading automobile license plates.

[Image Sensing Systems](#) (St. Paul, Minnesota). Created the Autoscope system that uses roadside video cameras for real-time traffic management. Over 40,000 cameras are in use.

### Film and Television

[2D3](#) (Oxford, UK). Systems for tracking objects in video or film and solving for 3D motion to allow for precise augmentation with 3D computer graphics.

[Hawkeve](#) (Winchester, UK). Uses multiple cameras to precisely track tennis and cricket balls for sports refereeing and commentary.

[Image Metrics](#) (Manchester, England). A markerless tracking system for the human face that can be used to map detailed motion and facial expressions to synthetic characters.

[Imagineer Systems](#) (Guildford, UK). Computer vision software for the film and video industries.

<http://www.cs.ubc.ca/spider/lowe/vision.html>



HOME PRODUCTS APPLICATIONS COMPANY DISTRIBUTORS SERVICES INVESTORS NEWS CONTACT



LEADING EDGE SECURITY, SURVEILLANCE AND TRAFFIC MANAGEMENT PRODUCTS

## OUR PRODUCTS



### Automatic Number Plate Recognition (ANPR)



Talon is the world leading ANPR/ALPR solution. It employs highly accurate neural network processing technology. With over 10 years of experience in ANPR, the Talon system is proven in critical policing, counter terrorism and commercial deployments world-wide.

[more »](#)

#### ANPR Products »

#### ANPR Applications »

### Parking Guidance Information (PGI)



Navigator is an accurate, reliable and cost effective PGI system for all types of parking facilities. Navigator is suitable for a range of parking guidance applications from car park access guidance, zone specific guidance to urban area traffic guidance..

[more »](#)

### Who we are...

Appian Technology PLC is the leading provider of high technology security, surveillance and traffic management products. We have unique in-house expertise backed by over 10 years experience in selling and supporting our products world-wide. Appian provide the world leading Talon ANPR/ALPR system, the Navigator Parking Guidance Information (PGI) system and the LaserCAM mobile digital speed enforcement camera. Our products provide accurate, cost-effective systems for the Security, Police, and Commercial markets. From counter terrorism to congestion charging, we have the solution...

### Find us...

Appian Technology Plc  
 Appian House  
 4 Wessex Road  
 Bourne End  
 Buckinghamshire  
 SL8 5DT  
 UK

[\[ View Map \]](#)

Tel: +44 (1628) 554 750  
 Fax: +44 (1628) 554 751  
 E-Mail: [sales@appian-tech.com](mailto:sales@appian-tech.com)

ALPR - Automatic License Plate Recognition | ANPR - Automatic Number Plate Recognition | Congestion Charging  
 MVI Systems | Road Tolling Systems | Parking Guidance Information  
 Traffic Solutions | Speed Solutions | Speed Enforcement | Appian Technology PLC

design by [rawnetlimited](#)

<http://www.appian-tech.com/>

**sportvision** PRODUCTS & SERVICES NEWS ABOUT SV CONTACT

**PRODUCTS AND SERVICES**

**BROADCAST**  
Sportvision is the premier global provider of enhancements for sports television. Our products have revolutionized the way sports are telecast and what the viewer at home expects from their sport television experience. With innovations such as the **1st and Ten™ Line**, **KZone™** and **RACEf/x™**, viewers are able to see and experience elements of sport never seen before.

*Our products have revolutionized the way sports are telecast*

We provide solutions for a variety of sports, including: **American Football, Baseball, Motorsports, Football (Soccer), Golf, Basketball, Olympic Events, Horse Racing, Action Sports,**

- ▶ [American Football](#)
- ▶ [Motorsports](#)
- ▶ [Baseball](#)
- ▶ [Basketball](#)
- ▶ [Golf](#)
- ▶ [Horse racing](#)
- ▶ [Football](#)
- ▶ [Bowling](#)
- ▶ [Olympic](#)
- ▶ [Action Sports](#)

© 2007 Sportvision, Inc. Site Technical Requirements

<http://www.sportvision.com/>



**dipix**  
Technologies Inc.

Home
About Dipix
Dipix Products
Software
Your Applications
Service & Support
News & Events
Contact

>> [Dipix CS24 Video](#)



>> [Dipix T60 Video](#)



>> **Dipix Inspection Systems**

Dipix Technologies has over 150 automatic inspections systems that have been developed and successfully installed world wide in a variety of bakery facilities.

It is important to note that the systems mentioned below are all **fully customizable**. This means that if you do not see your particular production line conveyor width indicated, for example, your conveyor width is better suited to a system that is 42" wide instead of 36" wide. Dipix's engineering team is 100% experienced in providing the specific sized system that suits your needs.

Our Dipix inspection systems are turn-key systems that can be easily inserted into production lines in order to continuously measure critical size, shape and color measurements of fast moving objects. The basic difference between these systems is simply the width of the inspection area (i.e., production line conveyor width).

For more information about a specific product, simply select from the following list:

- [Dipix CS7](#) - 100% Inspection System with 7" field of view, 2D and 3D measurement capability.
- [Dipix CS18](#) - 100% Inspection and Rejection System with 18" field of view, 2D & 3D measurement capability.
- [Dipix CS24](#) - 100% Inspection and Rejection System with 24" field of view, 2D & 3D measurement capability.
- [Dipix CS36](#) - 100% Inspection and Rejection System with 36" field of view, 2D & 3D measurement capability.
- [Dipix T60](#) - 100% Wide Line Inspection & Rejection System with 60" field of view, 2D/Color measurement capability.

<http://www.dipix.com/>

# What to Recognize



**Wild card**




**Tower Bridge**



**The Stata Center**

Specific



**butterfly**



**butterfly**



**building**



**building**



Categories

# Challenges of object recognition ...






# Recognize Specific Objects (1)

## Appearance Matching




[Nayar, Murase et. al.]

- PCA on the training set.
- Estimate parameters of a low-dimensional pose manifold with splines.
- Match new image to the closest point on the manifold.




## Recognize Specific Objects (2)

- Part-based approach
  - Image content is transformed into local feature coordinates that are invariant to translation, rotation, scale, and other imaging parameters
  - select "interest points" that are stable extrema points across different scales.



# SIFT Descriptor

- Thresholded image gradients are sampled over 16x16 array of locations in scale space (Gaussian-weighted).
- Create array of orientation histograms
- 8 orientations x 4x4 histogram array = 128 dimensions



# Object Category Recognition




ant





sunflower



tick



fan



cougar



cup

Overview of object category recognition ...  
see iccv tutorial

# Demos

- Pittpatt <http://demo.pittpatt.com/>

 Pittsburgh Pattern Recognition

40 24th Street, Suite 240  
Pittsburgh, PA 15222  
1-877-VERAFI-1  
info@pittpatt.com

---

PittPatt Home  
[Try Our Software!](#)  
Recognition Results  
PittPatt Technology  
Management Team  
In the News  
Careers @ PittPatt  
Contact Us

**Results:**

Frontal Sensitivity: 1 Profile Sensitivity: 1



[\[ face location and sizes \]](#)


View [Gallery](#) of Recent Submissions

[Submit](#) another image


# It's not just vision...

Integrate with mobile sensor information (GPS, time, nearby object or people), calendar, schedule...

Infer semantically rich meta-data labels from joint sources.



- 10am 7 Sep 05
- Australian park
- Jim, Jill nearby



- 4pm 8 Sep 05
- Sydney

- 8pm 10 Oct 05
- London

- 3pm 10 Sep 05
- downloaded from <http://...>



“two koalas seen on nat. park trip with Jim and Jill”



“Jill and koala on nat. park trip”



“John and his new car”



“office parking lot”



“car to consider purchasing”



# Summary

- The object recognition problem
- Pattern classification primer
- Object recognition grown up
  
- Readings: G&W 12.1-12.2
- Reference: Duda, Hart, Stork, "Pattern Classification", 2<sup>nd</sup> Ed.
  
- Next time: Image Compression

Additional acknowledgements: Dan Ellis, EE6820 Slides; Duda, Hart& Stork, Pattern classificaion 2<sup>nd</sup> Ed., David Claus and Christoph F. Eick: Nearest Neighbor Editing and Condensing Techniques